



- Cast Iron Housing
- Wide Inner Race
- SR-type or L3-type Seals
- Wide Slot
- Eccentric Locking Collar

| Unit No. | Shaft Dia. | | Dimensions (in.) | | | | | | | | | | | | | | | | | Bearing No. | Housing No. | | | |
|------------|------------|------|------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------------|-------------|--|--------------|--|
| | d | | (mm) | | | | | | | | | | | | | | | | | | | | | |
| | (in.) | (mm) | O | G | P | Q | S | B | k | E | A | W | J | L | R | H | Bi | N | M | I | K | | | |
| NAT 201 | 1/2 | 12 | | | | | | | | | | | | | | | | | | | | | NA 201 | |
| 201-8 | 1/2 | 12 | | | | | | | | | | | | | | | | | | | | | 201-8 | |
| 202 | 5/8 | 15 | 0.625 | 0.406 | 2 | 1.25 | 0.75 | 2 | 0.531 | 3 | 3.5 | 3.688 | 1.25 | 0.813 | 1.313 | 2.406 | 1.713 | 0.669 | 0.669 | 0.374 | 1.311 | | | |
| 202-10 | 5/8 | 15 | 16 | 10 | 51 | 32 | 19 | 51 | 13.5 | 76.2 | 89 | 94 | 32 | 21 | 33 | 61 | 43.5 | 17.0 | 17.0 | 9.5 | 33.3 | | 202-10 T 204 | |
| 203 | 3/4 | 17 | | | | | | | | | | | | | | | | | | | | | 203 | |
| 204-12 | 3/4 | 17 | | | | | | | | | | | | | | | | | | | | | 204-12 | |
| 204 | 3/4 | 17 | | | | | | | | | | | | | | | | | | | | | 204 | |
| NAT 205-14 | 7/8 | 20 | | | | | | | | | | | | | | | | | | | | | NA 205-14 | |
| 205-15 | 7/8 | 20 | | | | | | | | | | | | | | | | | | | | | 205-15 | |
| 205 | 15/16 | 25 | 0.625 | 0.406 | 2 | 1.25 | 0.75 | 2 | 0.531 | 3 | 3.5 | 3.813 | 1.25 | 0.938 | 1.375 | 2.438 | 1.744 | 0.685 | 0.685 | 0.374 | 1.5 | | | |
| 205-16 | 15/16 | 25 | 16 | 10 | 51 | 32 | 19 | 51 | 13.5 | 76.2 | 89 | 97 | 32 | 24 | 35 | 62 | 44.3 | 17.4 | 17.4 | 9.5 | 38.1 | | 205 T 205 | |
| 205-16 | 1 | 25 | | | | | | | | | | | | | | | | | | | | | 205-16 | |
| NAT 206-17 | 1 1/16 | 30 | | | | | | | | | | | | | | | | | | | | | NA 206-17 | |
| 206-18 | 1 1/16 | 30 | | | | | | | | | | | | | | | | | | | | | 206-18 | |
| 206 | 1 1/8 | 30 | 0.625 | 0.406 | 2.219 | 1.469 | 0.859 | 2.25 | 0.531 | 3.5 | 4.031 | 4.438 | 1.469 | 1.094 | 1.688 | 2.75 | 1.902 | 0.717 | 0.717 | 0.469 | 1.752 | | | |
| 206-19 | 1 1/8 | 30 | 16 | 10 | 56 | 37 | 22 | 57 | 13.5 | 88.9 | 102 | 113 | 37 | 28 | 43 | 70 | 48.3 | 18.2 | 18.2 | 11.9 | 44.5 | | 206 T 206 | |
| 206-19 | 1 3/16 | 30 | | | | | | | | | | | | | | | | | | | | | 206-19 | |
| 206-20 | 1 1/4S | 30 | | | | | | | | | | | | | | | | | | | | | 206-20 | |
| NAT 207-20 | 1 1/4 | 35 | | | | | | | | | | | | | | | | | | | | | NA 207-20 | |
| 207-21 | 1 1/4 | 35 | | | | | | | | | | | | | | | | | | | | | 207-21 | |
| 207-22 | 1 5/16 | 35 | 0.625 | 0.5 | 2.531 | 1.469 | 0.859 | 2.531 | 0.531 | 3.5 | 4.031 | 5.084 | 1.469 | 1.188 | 2 | 3.063 | 2.012 | 0.740 | 0.740 | 0.532 | 2.189 | | | |
| 207-22 | 1 3/8 | 35 | 16 | 13 | 64 | 37 | 22 | 64 | 13.5 | 88.9 | 102 | 129 | 37 | 30 | 51 | 78 | 51.1 | 18.8 | 18.8 | 13.5 | 55.6 | | 207-22 T 207 | |
| 207 | 1 3/8 | 35 | | | | | | | | | | | | | | | | | | | | | 207 | |
| 207-23 | 1 7/16 | 35 | | | | | | | | | | | | | | | | | | | | | 207-23 | |
| NAT 208-24 | 1 1/2 | 40 | | | | | | | | | | | | | | | | | | | | | NA 208-24 | |
| 208-25 | 1 1/2 | 40 | | | | | | | | | | | | | | | | | | | | | 208-25 | |
| 208 | 1 9/16 | 40 | 0.75 | 0.625 | 3.281 | 1.938 | 1.141 | 3.281 | 0.688 | 4 | 4.5 | 5.656 | 1.938 | 1.313 | 2.219 | 3.469 | 2.217 | 0.843 | 0.843 | 0.532 | 2.374 | | | |
| 208 | 1 9/16 | 40 | 19 | 16 | 83 | 49 | 29 | 83 | 17.5 | 101.6 | 114 | 144 | 49 | 33 | 56 | 88 | 56.3 | 21.4 | 21.4 | 13.5 | 60.3 | | 208 T 208 | |
| NAT 209-26 | 1 5/8 | 45 | | | | | | | | | | | | | | | | | | | | | NA 209-26 | |
| 209-27 | 1 5/8 | 45 | | | | | | | | | | | | | | | | | | | | | 209-27 | |
| 209-28 | 1 11/16 | 45 | 0.75 | 0.625 | 3.281 | 1.938 | 1.141 | 3.281 | 0.688 | 4 | 4.594 | 5.656 | 1.938 | 1.375 | 2.25 | 3.438 | 2.217 | 0.843 | 0.843 | 0.532 | 2.5 | | | |
| 209-28 | 1 3/4 | 45 | 19 | 16 | 83 | 49 | 29 | 83 | 17.5 | 101.6 | 117 | 144 | 49 | 35 | 57 | 87 | 56.3 | 21.4 | 21.4 | 13.5 | 63.5 | | 209-28 T 209 | |
| 209 | 1 3/4 | 45 | | | | | | | | | | | | | | | | | | | | | 209 | |
| NAT 210-30 | 1 7/8 | 50 | | | | | | | | | | | | | | | | | | | | | NA 210-30 | |
| 210-31 | 1 7/8 | 50 | | | | | | | | | | | | | | | | | | | | | 210-31 | |
| 210 | 1 15/16 | 50 | 0.75 | 0.625 | 3.281 | 1.938 | 1.141 | 3.375 | 0.688 | 4 | 4.594 | 5.875 | 1.938 | 1.469 | 2.313 | 3.531 | 2.469 | 0.969 | 0.969 | 0.532 | 2.752 | | | |
| 210-32 | 1 15/16 | 50 | 19 | 16 | 83 | 49 | 29 | 86 | 17.5 | 101.6 | 117 | 149 | 49 | 37 | 59 | 90 | 62.7 | 24.6 | 24.6 | 13.5 | 69.9 | | 210 T 210 | |
| 210-32 | 2S | 50 | | | | | | | | | | | | | | | | | | | | | 210-32 | |
| NAT 211-32 | 2 | 55 | | | | | | | | | | | | | | | | | | | | | NA 211-32 | |
| 211-34 | 2 | 55 | | | | | | | | | | | | | | | | | | | | | 211-34 | |
| 211 | 2 1/8 | 55 | 1 | 0.75 | 4.031 | 2.531 | 1.375 | 3.75 | 1.063 | 5.125 | 5.75 | 6.719 | 2.531 | 1.5 | 2.563 | 4.188 | 2.811 | 1.091 | 1.091 | 0.63 | 3.0 | | | |
| 211 | 2 1/8 | 55 | 25 | 19 | 102 | 64 | 35 | 95 | 27 | 130.2 | 146 | 171 | 64 | 38 | 65 | 106 | 71.4 | 27.7 | 27.7 | 16.0 | 76.2 | | 211 T 211 | |
| 211-35 | 2 1/8 | 55 | | | | | | | | | | | | | | | | | | | | | 211-35 | |
| NAT 212-36 | 2 3/16 | 60 | | | | | | | | | | | | | | | | | | | | | NA 212-36 | |
| 212 | 2 1/4 | 60 | | | | | | | | | | | | | | | | | | | | | 212 | |
| 212-38 | 2 1/4 | 60 | 1.25 | 0.75 | 4.031 | 2.531 | 1.375 | 4.031 | 1.063 | 5.125 | 5.75 | 7.625 | 2.531 | 1.656 | 2.938 | 4.688 | 3.063 | 1.217 | 1.217 | 0.63 | 3.315 | | | |
| 212-38 | 2 3/8 | 60 | 32 | 19 | 102 | 64 | 35 | 102 | 27 | 130.2 | 146 | 194 | 64 | 42 | 75 | 119 | 77.8 | 30.9 | 30.9 | 16.0 | 84.2 | | 212 T 212 | |
| 212-39 | 2 3/16 | 60 | | | | | | | | | | | | | | | | | | | | | 212-39 | |
| NAT 213-40 | 2 1/2 | 65 | | | | | | | | | | | | | | | | | | | | | NA 213-40 | |
| 213 | 2 1/2 | 65 | | | | | | | | | | | | | | | | | | | | | 213 | |
| 213 | 2 1/2 | 65 | 1.25 | 0.813 | 4.375 | 2.75 | 1.609 | 4.75 | 1.063 | 5.938 | 6.563 | 8.813 | 2.75 | 1.719 | 3.438 | 5.406 | 3.374 | 1.343 | 1.343 | 0.689 | 3.386 | | | |
| 213 | 2 1/2 | 65 | 32 | 21 | 111 | 70 | 41 | 121 | 27 | 150.8 | 167 | 224 | 70 | 44 | 87 | 137 | 85.7 | 34.1 | 34.1 | 17.5 | 86.0 | | 213 T 213 | |
| NAT 215-47 | 2 15/16 | 75 | | | | | | | | | | | | | | | | | | | | | NA 215-47 | |
| 215 | 2 15/16 | 75 | | | | | | | | | | | | | | | | | | | | | 215 | |
| 215-48 | 3 | 75 | 1.25 | 0.813 | 4.375 | 2.75 | 1.609 | 4.75 | 1.063 | 5.938 | 6.563 | 9.125 | 2.75 | 1.875 | 3.625 | 5.5 | 3.626 | 1.469 | 1.469 | 0.689 | 4.016 | | | |
| 215-48 | 3 | 75 | 32 | 21 | 111 | 70 | 41 | 121 | 27 | 150.8 | 167 | 232 | 70 | 48 | 92 | 140 | 92.1 | 37.3 | 37.3 | 17.5 | 102.0 | | 215 T 215 | |
| 215-48 | 3 | 75 | | | | | | | | | | | | | | | | | | | | | 215-48 | |